EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|-------|--|------------------------------|---------------------|---------|---------------------|
| S1 | 12 | ("20020195271" "4490614" "5061193" "5793150" "6180880" "6183290" "6305975" "6364527" "6441609" "6521830" "6542577" "6737579").PN. | US-PGPUB; USPAT | AND | ON | 2008/09/25 09:43 |
| S5 | 9 | ((GERD) near2 (MORSBERGER)).INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:44 |
| S4 | 6 | ((LARS) near2 (LAUER)).INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:44 |
| S3 | 3 | ((RICHARD) near2 (EICHHORN)).INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:44 |
| 82 | 11 | ((JOSEF) near2 (DEURINGER)). INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:44 |
| S7 | 1 | ((ROLAND) near2 (RABE)).INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:45 |
| S6 | 1 | ((PAUL) near2 (PONNATH)). INV. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/25 09:45 |
| S8 | 26 | S2 S3 S4 S5 S6 S7 | US-PGPUB; USPAT | OR | ON | 2008/09/25 09:46 |
| S10 | 0 | S8 S9 | US-PGPUB; USPAT | AND | ON | 2008/09/25 09:55 |
| S9 | 65144 | (@AD<"20040213") ((bushing or housing) near5 (tight or seal)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 09:55 |
| S11 | 658 | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or fpc) via ((conductive adj layer) or trace or track or conductor) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:01 |

| S12 | 94 | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or fpc) via ((conductive adj layer) or trace or track or conductor) (seal or (O adj ring)) ((pressure or pressing) near5 (board or plate)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:05 |
|-----|----|---|--------------------|-----|----|---------------------|
| S13 | 2 | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) ((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or fpc) via ((conductive adj layer) or trace or track or conductor) (seal or (O adj ring)) ((pressure or pressing) near5 (board or plate) near5 (screw or bott)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:25 |
| S14 | 6 | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or tpc) (seal or (O adj ring)) ((pressure or pressing) near5 (board or plate) near5 (screw or bolt)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:29 |
| S15 | 6 | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) (flushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or fpc) (seal or gasket or (O adj iring)) ((pressure or pressing) near5 (board or plate) near5 (screw or bott)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:32 |

| S17 | O | (@AD> "20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (topening)) ((opening) near5 top near5 ((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or (pc) (seal or gasket or (O adj ring)) ((pressure or pressing) near5 (board or plate) near5 (scare wor bott)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:35 |
|-----|-------|--|--------------------|-----|----|---------------------|
| S16 | | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) ((opening) near8 (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit) or fpc)) (seal or gasket or (O adj ring)) ((pressure or pressing) near5 (board or plate) near5 (screw or bolt)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:35 |
| S18 | O | (@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) ((opening) with (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit) or fpc)) (seal or gasket or (O adj ring)) ((pressure or pressing) near5 (board or plate) near5 (screw or bolt)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:36 |
| S19 | · | (@AD<*20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or (pc) near5 (seal or gasket or (O adj ring))) ((pressure or pressing) near5 (screw or bobt)) | US-PCPUB; USPAT | AND | ON | 2008/09/25 10:52 |
| S20 | 15795 | [(@AD<"20040213") (FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) via ((conductive adj layer) or trace or track or conductor) | US-PGPUB; USPAT | AND | ON | 2008/09/25 10:59 |

| S21 | 201 | [@AD<"20040213") (FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) via ((conductive adj layer) or trace or track or conductor) (blind adj via) | US-PGPUB; USPAT | AND | ON | 2008/09/25 11:03 |
|------|------|--|--------------------|-----|----|---------------------|
| S22 | 33 | [(@AD<"20040213") ((bushing or housing or enclosure) near5 (tight or seal)) ((bushing or housing or enclosure) near5 (opening)) (((wiring or circuit) adj board) or ((flex or flexible) near5 (board or circuit)) or fpc) (seal or (O adj ring) or gasket) ((pressure or pressing) near5 (screw or both)) | US-PGPUB; USPAT | AND | OY | 2008/09/25 11:16 |
| S24 | 3 | S23 bushing | US-PGPUB; USPAT | AND | ON | 2008/09/25 11:44 |
| \$23 | 20 | (US-20020195271-\$ or US-20010049965-\$).did. or (US-6737579-\$ or US-6821877-\$ or US-6821830-\$ or US-6841809-\$ or US-6864627-\$ or US-6864527-\$ or US-6182290-\$ or US-6180880-\$ or US-490614-\$ or US-5793150-\$ or US-5061193-\$ or US-6840645-\$ or US-779353-\$ or US-69640845-\$ or US-778205-\$ or US-7764197-\$ or US-78205-\$ or US-7764197-\$ or US-6931723-\$ or US-7063511-\$).did. | US-PCPUB; USPAT | AND | ON | 2008/09/25 11:44 |
| S26 | 0 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) nera5 (seal or (O adj ring) or gasket)) opening | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:00 |
| \$25 | 0 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC9 or ((flexible or flex) near2 (circuit or board or substrate))) near5 (seal or (O adj ring) or gasket)) ((((wiring or circuit) adj board) or FPC or FPC9 or ((flexible or flex) near2 (circuit or board or substrate))) nera5 opening) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:00 |
| S29 | 1909 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) near5 (seal or (O adj ring) or gasket)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:01 |

| S28 | 35826 | (@AD<"20040213") (((wiring or circuit) adj board) or FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) (seal or (O adj ring) or gasket) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:01 |
|-----|-------|--|--------------------|-----|----|---------------------|
| S27 | 0 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPCB or ((flexible or flex) near2 (circuit or board or substrate))) nera5 (seal or (O adj ring) or gasket)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:01 |
| S30 | 327 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC8 or (flexible or flex) near2 (circuit or board or substrate))) near5 (seal or (O adj ring) or gasket)) ((((wiring or circuit) adj board) or FPC8 or ((flexible or flex) near2 (circuit or board or substrate))) near5 opening) | US-PGPUB; USPAT | AND | 8 | 2008/09/25 13:02 |
| S32 | 165 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC8 or (flexible or flex) near2 (circuit or board or substrate))) near3 (seal or (O adj ring) or gasket)) ((((wiring or circuit) adj board) or FPC8 or ((flexible or flex) near2 (circuit or board or substrate))) near3 opening) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:03 |
| S31 | 262 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC8 or (flexible or flex) near2 (circuit or board or substrate))) near4 (seal or (O adj ring) or gasket)) ((((wiring or circuit) adj board) or FPC or FPC8 or ((flexible or flex) near2 (circuit or board or substrate))) near4 opening) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:03 |
| S34 | 38 | S32 S33 | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:04 |
| S33 | 81 | (@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC8 or ((flexible or flex) near2 (circuit or board or substrate))) near5 (seal or (O adj ring) or gasket) near5 (opening) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:04 |
| S35 | 289 | S31 S32 S33 | US-PGPUB; USPAT | OR | ON | 2008/09/25 13:14 |

| S37 | 8 | S35 ((water or loquid) adj (tight or prove)) | US-PGPUB; USPAT | AND | ON | 2008/09/25 13:15 |
|-----|-------|---|--------------------|-----|----|---------------------|
| S36 | 22107 | S35 ((water or loquid) adj (tight or prove)) | US-PGPUB; USPAT | OR | ON | 2008/09/25 13:15 |
| S38 | 9650 | (@AD<"20040213") (X adj ray adj tube) | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:13 |
| S40 | 0 | S11 S39 | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:14 |
| S39 | 193 | S9 S38 | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:14 |
| S44 | 1 | S43 S39 | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:15 |
| S43 | 24 | (US-20020195271-\$ or US-20010049965-\$), did. or (US-6737579-\$ or US-6842577-\$ or US-6821830-\$ or US-6841609-\$ or US-6894527-\$ or US-6894527-\$ or US-6894527-\$ or US-6805975-\$ or US-6183290-\$ or US-6180880-\$ or US-4490614-\$ or US-5793150-\$ or US-4806133-\$ or US-6840645-\$ or US-480613-\$ or US-6490613-\$ or US-7278205-\$ or US-7278205-\$ or US-7278205-\$ or US-7083711-\$ or US-8379836-\$ or US-5987996-\$ or US-6614108-\$ or US-5844781-\$), did. | US-PCPUB; USPAT | AND | ON | 2008/09/25 |
| S42 | 5 | S28 S39 | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:15 |
| S41 | 0 | S20 S39 | US-PGPUB; USPAT | AND | ON | 2008/09/25 15:15 |
| S45 | 2354 | 361/752,679,749-751.cor. 174/262,541,539,564.cor. | US-PGPUB; USPAT | OR | ON | 2008/09/25 16:10 |
| S46 | 6 | S30 S45 | US-PGPUB; USPAT | AND | ON | 2008/09/25 16:11 |
| S47 | 11 | (US-6542577-\$ or US-6305975- \$ or US-6183290-\$ or US- 6640645-\$ or US-7164197-\$ or US-6931723-\$ or US-7063511- \$ or US-3879836-\$ or US- 5987996-\$ or US-6614108-\$ or US-5844781-\$). did. | USPAT | AND | ON | 2008/09/25 16:16 |

| S48 | ~ | (@AD.* "20040213") (X adj ray adj tube) ((tight\$3 or seal\$3 or cover\$3) near5 ((bushing or housing or enclosure or opening) and (((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb))) | US-PGPUB; USPAT | AND | | 2009/07/20 15:13 |
|-----|-----|--|--------------------|-----|------------|---------------------|
| S49 | 45 | (@AD-"20040213") ((((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 ((tight\$3 or seal\$3 or cover\$3) near5 (opening near2 (bushing or housing or enclosure or (tube))) | US-PGPUB; USPAT | AND | ON | 2009/07/20 15:35 |
| S50 | 20 | (@AD-"20040213") ((((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 (tight\$3 or seal\$3) near5 (opening near2 (bushing or housing or enclosure or tube))) | US-PGPUB; USPAT | AND | ON | 2009/07/20 15:37 |
| S51 | 111 | (@AD<"20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 (tight\$3 or seal\$3) near5 (opening near2 (bushing or housing or enclosure or tube))) ((tight\$3 or seal\$3) near5 (ring or gasket or seal)) | US-PGPUB; USPAT | AND | ON | 2009/07/20 17:32 |
| L16 | 4 | (@AD<"20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate) or (circuit)) or fpc or pcb) near5 (tight\$3 or seal\$3) near5 (bushing or housing or enclosure or tube)) (((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 ((press\$3 or reinforc\$3) adj ((board or plate))) | US-PCPUB; USPAT | AND | <u>0</u> 3 | 2009/07/21 14:39 |

| L17 | 1111 | (@AD<"20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate) or (circuit)) or (pc or pcb) near5 ((tight\$3 or seal\$3) near5 (bushing or housing or enclosure or tube)) (((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or (pc or pcb) near5 ((press\$3 or reinforc\$3) near4 ((board or plate))) | US-PGPUB; USPAT | AND | ON | 2009/07/21 |
|-----|------|---|--------------------|-----|----|---------------------|
| L18 | 93 | (@AD<"20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate) or (circuit)) or (pc or pcb) near5 (tight\$3 or seal\$3) near5 (tushing or housing or enclosure or tube) ((((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or (pc or pcb) near5 (topss\$\$\$3\$ or pcb) near5 (topss\$\$\$3\$ or pcb) near5 (topss\$\$\$3\$ or reinforc\$\$3\$) near4 ((board or plate))) seal | US-PGPUB; USPAT | AND | ON | 2009/07/21 14:41 |
| L20 | 41 | (@AD<"20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate) or (circuit)) or fpc or pcb) near5 ((tight\$3 or seal\$3) near5 (bushing or housing or enclosure or tube)) ((((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate) or circuit)) or fpc or pcb) near5 ((press\$3 or reinforc\$3) near2 ((board or plate))) seal\$3 | US-PGPUB; USPAT | AND | ON | 2009/07/21 14:42 |
| L19 | 38 | (@AD< "20040213") ((((wiring or circuit) adj (board or substrate) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 (tight\$3 or seal\$3) near5 (bushing or housing or circuit) adj (board or substrate) (((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate) or (iflex or flexible) near5 (board or substrate) or (iflex or flexible) near5 (soard or substrate) or (iflex or flexible) near5 (soard or substrate) or (iflex or flexible) near5 ((gress\$3 or reinforc\$3) near2 | US-PCPUB; USPAT | AND | ON | 2009/07/21 14:42 |

| | i | (board or plate))) seal | | | i | |
|-----|------|---|--------------------|-----|----|---------------------|
| L21 | 21 | [@AD<"20040213") ((((wiring or circuit) adj (board or substrate)) or ((flex or flexible) near5 (board or substrate or circuit)) or fpc or pcb) near5 ((ight\$3 or seal\$3) near5 ((bushing or housing or enclosure or tube)) ((((wiring or circuit) adj (board or substrate) or (flex or flexible) near5 (board or substrate) or (circuit)) or (flex or flexible) near5 (board or substrate or circuit)) or fp cor pcb) near5 between near5 ((press\$3 or reinforc\$3) near4 (board or plate))) | US-PGPUB; USPAT | AND | ON | 2009/07/21 14:46 |
| L24 | 1957 | 361/752,679,749-751.cor. 174/262,541,539,564.cor. | US-PGPUB; USPAT | OR | ON | 2009/07/21 16:28 |
| L26 | 6 | 24 L25 | US-PGPUB; USPAT | AND | ON | 2009/07/21 16:30 |
| L25 | 328 | [@AD<"20040213") ((((wiring or circuit) adj board) or FPC or FPC9 or ((flexible or flex) near2 (circuit or board or substrate)) near5 (seal or (O adj ring) or gasket)) ((((wiring or circuit) adj board) or FPC or FPC9 or ((flexible or flex) near2 (circuit or board or substrate)) near5 opening) | US-PGPUB; USPAT | AND | ON | 2009/07/21 16:30 |

7/21/2009 4:30:53 PM

C:\ Documents and Settings\ Xchen\ My Documents\ EAST\ Workspaces\ 10588556.wsp